ELSEVIER

Journal of Inorganic Biochemistry 94 (2003) 386–387

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Author Index of Volume 94

Ashcroft, A.E., 372
Aureliano, M., 285

Baran, E.J., 200
Behere, D.V., 236
Bengea, S., 343
Bényei, A., 291
Blandford, N.R., 14
Bloch Júnior, C., 365
Bollinger, J.-C., 1
Bukietyńska, K., 317

Carlson, E.J., 59
Carlson, R.M.K., 59
Carrano, C.J., 197
Castellano, E.E., 200
Chakravarty, A.R., 171
Chen, X., 106
Ciesiołka, J., 355
Colwell, B.A., 100
Coucelo, J.M., 285
Coutsolelos, A.G., 161
Crichton, R.R., 36
Croom, J., 372

D'Amelio, N., 28
Dantoine, T., 1
Darbre, T., 193
Dasgupta, D., 72
Davoras, E.M., 161
Debord, J., 1
Diril, N., 255
Doležal, K., 307
Dombi, G., 207
Dworniczek, E., 355

Eswaramoorthy, D., 138
Exley, C., 372

Fábián, I., 291
Facchin, G., 200
Falcioni, G., 348
Fedeli, D., 348
Fierke, C.A., 78
Forgó, P., 207
Frank, P., 59

Gaggelli, E., 28
Gajewska, A., 28
Gandini, S.C.M., 127
Gao, J., 272
García-Cánovas, F., 243
Genge, B.R., 14
Genge, B.R., 221
Ghibaudi, E., 146, 205
Giribabu, L., 138
Gümüş, F., 255
Guo, Z., 186
Gür, S., 255

Heering, H.A., 243
Hepburn, D.D.D., 86
Hodgson, K.O., 59
Huang, K., 301
Hueso-Ureña, F., 326

Illán-Cabeza, N.A., 326
Inoue, H., 263

Jackman, J.E., 78
Jeżowska-Bojczuk, M., 355
Joaquim, N., 285
Josse, C., 36

Kalbitz, J., 335
Kamal, J.K.A., 236
Karwecka, Z., 317
Kaup, Y., 214
Khokhar, A.R., 179
Kilyén, M., 207
Kiss, T., 207
Kochman, H., 28
Kochman, K., 28
Korchazhkina, O.V., 372
Kotsakis, N., 207
Kozlowski, H., 28
Kremer, E., 200
Kumar Sarker, A., 50

Lakatos, A., 207
Latajka, Z., 28
Laurenti, E., 146
Laurenti, E., 205
Lee, J.S., 94
Legssyer, R., 36
Li, B., 279
Li, J., 279
Lin, J., 186
Liu, Ji., 279
Liu, Ju., 279
Liu, M., 106
Liu, Q., 186
Lobbia, G.G., 348
López-Molina, D., 243
Luckner, M., 335

Mabrouk, P.A., 381
Machuqueiro, M., 193
Mahadevan, S., 171
Maiya, B.G., 138
Maloň, M., 307
Marek, J., 307
Marrone, B.L., 5
Martell, A.E., 272
Martínez-Martos, J.M., 326
McClure, C.P., 78
Merle, L., 1
Middleton, A., 214
Mir, M.A., 72
Mlynarz, P., 28
Moguilevsky, N., 146
Moreno-Carretero, M.N., 326
Morris, D.L., 100
Mudasir, 263
Mueller, H., 335
Mueller, T., 335
Mukhopadhyay, U., 179

Nagy, Z., 291
Nair, B.U., 121
Nascimento, O.R., 127
Nethaji, M., 171
Nyarko, E., 50

Öksüzoğlu, E., 255
Özden, T., 255
Özkul, A., 255

Pacchiardo, C., 146
Paetz, C., 335
Pamuk, İ., 255
Panek, J., 28
Paschke, R., 335
Peariso, K., 78
Pellei, M., 348
Penner-Hahn, J.E., 78
Pia Ferrari, R., 146, 205
Piette, J., 36
Pires de Castro, C.S., 365
Piro, O.E., 200
Podsiadły, H., 317
Pope, M.T., 279

Ramírez-Expósito, M.J., 326
Reibenspies, J.H., 272
Rodrigues SouzaDe, J., 365
Rodríguez-López, J.N., 243
Rusche, K.M., 78

Sagami, I., 343
Salifoglou, A., 207
Santini, C., 348
Sastri, C.V., 138
Sauer, G.R., 14, 221
Sauer, N.N., 5
Schmid, M., 214
Schmoll, H.-J., 335
Scott, B.L., 5
Shimizu, T., 343
Siddik, Z.H., 179
Sinn, E., 335
Sivakolundu, S.G., 381
Skała, J., 355
Smulevich, G., 243
Soares, S.S., 285
Sorkau, E., 335
Sóvágó, I., 291
Strnad, M., 307
Su, Y., 43
Sun, H., 114
Suriano, G., 146
Szczepanik, W., 355
Szeto, K.Y., 114

Tabak, M., 127
Tabata, M., 50
Tajima, Y., 155
Tan, R.-X., 186
Thomas, A.M., 171
Thorneley, R.N.F., 243
Thurston, J., 179
Todaro, G., 205
Torre, M.H., 200
Trávníček, Z., 307
Tudela, J., 243

Vaidyanathan, V.G., 121
Valensin, G., 28
Valhmu, W.B., 221
Vidoto, E.A., 127
Vincent, J.B., 86

Wang, X., 186, 279
Wang, Z., 5, 43
Ward, R.J., 36
Warthen, C.R., 197
Weng, S., 43
Weser, U., 214
Wettig, S.D., 94
Whitmire, K.H., 179
Wijaya, K., 263
Wood, D.O., 94
Wrzesiński, J., 355
Wu, J., 43
Wu, L.N.Y., 14

Elsevier Science Inc.
doi:10.1016/S0162-0134(03)00078-3

Wu, L.N.Y., 221
Wu, Q., 301
Wuthier, R.E., 14
Wuthier, R.E., 221

Xu, H., 301
Xu, Q., 186

Yan, C., 43
Yang, L., 43
Yang, Y., 279
Yıldız, S., 255
Yoshioka, N., 263

Zatloukal, M., 307
Zhang, X., 186

ELSEVIER

Journal of Inorganic Biochemistry 94 (2003) 388–393

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Subject Index of Volume 94

L-Alanine
complexes of vanadium(III) with L-alanine and L-aspartic acid, 317
Albumin
binding of bismuth to serum proteins: implication for targets of Bi(III) in blood plasma, 114
Al(III) complexes
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
Alkaline phosphatase
borate in mummification salts and bones from Pharaonic Egypt, 214
Alkaline transition
proton NMR study of chemically modified horse heart ferricytochrome *c* confirms the presence of histidine and lysine-ligated conformers in 30% acetonitrile solution, 381
Alkyl spacer
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Aluminium
does either the gastrointestinal peptide PYY or the neuropeptide NPY bind aluminium?, 372
Alveolar macrophages
changes in function of iron-loaded alveolar macrophages after in vivo administration of desferrioxamine and/or chloroquine, 36
Alzheimer's disease
does either the gastrointestinal peptide PYY or the neuropeptide NPY bind aluminium?, 372
Aminopeptidases
synthesis and spectroscopic studies on the new Schiff base derived from the 1:2 condensation of 2,6-diformyl-4-methylphenol with 5-aminouracil (BDF5AU) and its transition metal complexes, 326
5-Aminouracil
synthesis and spectroscopic studies on the new Schiff base derived from the 1:2 condensation of 2,6-diformyl-4-methylphenol with 5-aminouracil (BDF5AU) and its transition metal complexes, 326
Anodic stripping voltammetry
the binding of zinc(II) to Mung Bean Nuclease. A voltammetric study, 365
Anticancer drug
association of anticancer drug mithramycin with H1-depleted chromatin: a comparison with native chromatin, 72
Antioxidant activity
synthesis and characterization of new copper(I) complexes containing 4-(diphenylphosphane)benzoic acid and "scorpionate" ligands with "in vitro" superoxide scavenging activity, 348
Antitumor activity
5-Fluorouracil–cisplatin adducts with potential antitumor activity, 186
synthesis and antitumor activity of cyclopentadienyltitanium substituted polyoxotungstate $[CoW_{11}O_{39}(CpTi)]^{7-}$ (Cp=η^5-C_5H_5), 279
mixed ligand complexes of platinum(II) and palladium(II) with cytokinin-derived compounds Bohemine and Olomoucine: X-ray structure of $[Pt(BohH^+\text{-}N7)Cl_3]\cdot 9/5H_2O$ {Boh=6-(benzylamino)-2-[(3-(hydroxypropyl)-amino]-9-isopropylpurine, Bohemine}, 307
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Antitumor agents
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of $[Pt^{II}$(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
Anti-tumor activity
synthesis and DNA binding properties of a cationic 2,2′:6′,2″-terpyridine cobalt(II) complex containing an oligopeptide, 272
Aqueous solution equilibria
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
Arginine analogues
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Arterial wall
effects of long-term selenium deficiency on glutathione peroxidase and thioredoxin reductase activities and expressions in rat aorta, 301
Artichoke
purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L., 243
Arylesterase
inhibition of human serum arylesterase by metal chlorides, 1
L-Aspartic acid
complexes of vanadium(III) with L-alanine and L-aspartic acid, 317
AspAsp
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
AspAspAsp
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
Astacin
the Cu(II) acetate complex of the heteroscorpionate ligand (2-hydroxy-3-t-butyl-methylphenyl)bis(3,5-dimethylpyrazolyl)methane: a structural model for copper-substituted serralysin and astacin, 197
Axial ligand
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Bactericidal efficiency
in vitro oxidative activity of cupric complexes of kanamycin A in comparison to in vivo bactericidal efficacy, 355

Elsevier Science Inc.
doi:10.1016/S0162-0134(03)00079-5

Benzimidazole
synthesis, characterization and in vitro cytotoxic, mutagenic and antimicrobial activity of platinum(II) complexes with substituted benzimidazole ligands, 255
Beryllium
potential binding modes of beryllium with the class II major histocompatibility complex HLA-DP: a combined theoretical and structural database study, 5
Bile acid
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Binding ct-DNA
synthesis and DNA binding properties of a cationic 2,2′:6′,2″-terpyridine cobalt(II) complex containing an oligopeptide, 272
Binding mode
potential binding modes of beryllium with the class II major histocompatibility complex HLA-DP: a combined theoretical and structural database study, 5
Biomineralization
modeling of matrix vesicle biomineralization using large unilamellar vesicles, 14
Bismuth
binding of bismuth to serum proteins: implication for targets of Bi(III) in blood plasma, 114
Bis(pyridin-2-ylmethyl)amine
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
Bohemine
mixed ligand complexes of platinum(II) and palladium(II) with cytokinin-derived compounds Bohemine and Olomoucine: X-ray structure of [Pt(BohH$^+$-*N7*)Cl_3]·9/5H_2O {Boh=6-(benzylamino)-2-[(3-(hydroxypropyl)-amino]-9-isopropylpurine, Bohemine}, 307
Borate
borate in mummification salts and bones from Pharaonic Egypt, 214
Borate polyol complex
borate in mummification salts and bones from Pharaonic Egypt, 214
Cadmium
cadmium and vanadate oligomers effects on methaemoglobin reductase activity from Lusitanian toadfish: in vivo and in vitro studies, 285
Cancer cells
synthesis and antitumor activity of cyclopentadienyltitanium substituted polyoxotungstate $[CoW_{11}O_{39}(CpTi)]^{7-}$ (Cp=η^5-C_5H_5), 279
Carboplatin
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Carboxylates
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of [Pt^{II}(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
Catalysis
efficient biomimetic catalytic epoxidation of polyene polymers by manganese porphyrins, 161
Catalytic activity
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
Catechols
organic and inorganic substrates as probes for comparing native bovine lactoperoxidase and recombinant human myeloperoxidase, 146
Cationic porphyrin
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
CD spectra
enhanced conformational changes in DNA in the presence of mercury(II), cadmium(II) and lead(II) porphyrins, 50
Chelating thiols
zinc mediated methyl transfer from trimethyl phosphate to chelating and non-chelating alkyl thiols. Model for Zn-dependent methyltransferases, 193
Chemiluminescence
synthesis and characterization of new copper(I) complexes containing 4-(diphenylphosphane)benzoic acid and "scorpionate" ligands with "in vitro" superoxide scavenging activity, 348
Chloroquine
changes in function of iron-loaded alveolar macrophages after in vivo administration of desferrioxamine and/or chloroquine, 36
Chromatin
association of anticancer drug mithramycin with H1-depleted chromatin: a comparison with native chromatin, 72
Chromium picolinate
tissue and subcellular distribution of chromium picolinate with time after entering the bloodstream, 86
Cisplatin
5-Fluorouracil–cisplatin adducts with potential antitumor activity, 186
Class II major histocompatibility complex
potential binding modes of beryllium with the class II major histocompatibility complex HLA-DP: a combined theoretical and structural database study, 5
CO
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Cobalt (II) complex
photooxidation of DNA by a cobalt(II) tridentate complex, 121
Cobalt(II) complex
synthesis and DNA binding properties of a cationic 2,2′:6′,2″-terpyridine cobalt(II) complex containing an oligopeptide, 272
Cobalt(III) and nickel(II) complexes
DNA interactions of new mixed-ligand complexes of cobalt(III) and nickel(II) that incorporate modified phenanthroline ligands, 138
Complex
5-Fluorouracil–cisplatin adducts with potential antitumor activity, 186
Complexes
complexes of vanadium(III) with L-alanine and L-aspartic acid, 317
Conformational flexibility
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
Conformational stability
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
Copper
synthesis, crystal structure, and nuclease activity of planar mono-heterocyclic base copper(II) complexes, 171
Copper(I) complexes
synthesis and characterization of new copper(I) complexes containing 4-(diphenylphosphane)benzoic acid and "scorpionate" ligands with "in vitro" superoxide scavenging activity, 348
Copper(II) complex
characterization of a Cu(II) complex of sulfadimethoxine, 200
Copper(II) complexes
in vitro oxidative activity of cupric complexes of kanamycin A in comparison to in vivo bactericidal efficacy, 355

Crystal structure
sugar interaction with metal ion: crystal structure and spectroscopic study of $SrCl_2$·galactitol·$4H_2O$, 43
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of [Pt^{II}(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
characterization of a Cu(II) complex of sulfadimethoxine, 200
Crystal structures
synthesis, crystal structure, and nuclease activity of planar mono-heterocyclic base copper(II) complexes, 171
Cu
the Cu(II) acetate complex of the heteroscorpionate ligand (2-hydroxy-3-t-butyl-methylphenyl)bis(3,5-dimethylpyrazolyl)methane: a structural model for copper-substituted serralysin and astacin, 197
Cyclic voltammetry
the binding of zinc(II) to Mung Bean Nuclease. A voltammetric study, 365
Cynara scolymus L.
purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L., 243
Cytostatic activity
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Deacetylase
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
2′-Deoxyguanosine
formation of the oxidative damage marker 8-hydroxy-2′-deoxyguanosine from the nucleoside 2′-deoxyguanosine: parameter studies and evidence of Fe(II) binding, 100
2′-Deoxyguanosine oxidation
in vitro oxidative activity of cupric complexes of kanamycin A in comparison to in vivo bactericidal efficacy, 355
Desferrioxamine
changes in function of iron-loaded alveolar macrophages after in vivo administration of desferrioxamine and/or chloroquine, 36
2,6-Diformyl-4-methylphenol
synthesis and spectroscopic studies on the new Schiff base derived from the 1:2 condensation of 2,6-diformyl-4-methylphenol with 5-aminouracil (BDF5AU) and its transition metal complexes, 326
M-DNA
thermodynamic investigation of M-DNA: a novel metal ion–DNA complex, 94
DNA
induced chirality of binary aggregates of oppositely charged water-soluble porphyrins on DNA matrix, 106
DNA and RNA cleavage
in vitro oxidative activity of cupric complexes of kanamycin A in comparison to in vivo bactericidal efficacy, 355
DNA binding and photocleavage
DNA interactions of new mixed-ligand complexes of cobalt(III) and nickel(II) that incorporate modified phenanthroline ligands, 138
DNA cleavage
synthesis, crystal structure, and nuclease activity of planar mono-heterocyclic base copper(II) complexes, 171
DNA conformation
enhanced conformational changes in DNA in the presence of mercury(II), cadmium(II) and lead(II) porphyrins, 50
DNA-binding
photooxidation of DNA by a cobalt(II) tridentate complex, 121
DNA-interaction
DNA binding of iron(II) complexes with 1,10-phenanthroline and 4,7-diphenyl-1,10-phenanthroline: salt effect, ligand substituent effect, base pair specificity and binding strength, 263
Electrolytes
modeling of matrix vesicle biomineralization using large unilamellar vesicles, 14
Enthalpies
thermodynamic investigation of M-DNA: a novel metal ion–DNA complex, 94
Enzyme inhibition
inhibition of human serum arylesterase by metal chlorides, 1
Epoxidation
efficient biomimetic catalytic epoxidation of polyene polymers by manganese porphyrins, 161
EPR spectroscopy
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
organic and inorganic substrates as probes for comparing native bovine lactoperoxidase and recombinant human myeloperoxidase, 146
Equilibrium
enhanced conformational changes in DNA in the presence of mercury(II), cadmium(II) and lead(II) porphyrins, 50
EXAFS
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
Fish
cadmium and vanadate oligomers effects on methaemoglobin reductase activity from Lusitanian toadfish: in vivo and in vitro studies, 285
Fluorescence spectra
enhanced conformational changes in DNA in the presence of mercury(II), cadmium(II) and lead(II) porphyrins, 50
5-Fluorouracil
5-Fluorouracil–cisplatin adducts with potential antitumor activity, 186
Galactitol
sugar interaction with metal ion: crystal structure and spectroscopic study of $SrCl_2$·galactitol·$4H_2O$, 43
Glutathione peroxidase
effects of long-term selenium deficiency on glutathione peroxidase and thioredoxin reductase activities and expressions in rat aorta, 301
GnRH
structural analysis and sheep pituitary receptor binding of GnRH and its complexes with metal ions, 28
Groove selectivity
synthesis, crystal structure, and nuclease activity of planar mono-heterocyclic base copper(II) complexes, 171
Heme
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Hepatocyte
tissue and subcellular distribution of chromium picolinate with time after entering the bloodstream, 86
Heterocyclic bases
synthesis, crystal structure, and nuclease activity of planar mono-heterocyclic base copper(II) complexes, 171
Histidine-ligated cytochrome *c*
proton NMR study of chemically modified horse heart ferricytochrome *c* confirms the presence of histidine and lysine-ligated conformers in 30% acetonitrile solution, 381
Histone H1
association of anticancer drug mithramycin with H1-depleted chromatin: a comparison with native chromatin, 72

Horseradish peroxidase
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
Human serum
inhibition of human serum arylesterase by metal chlorides, 1
Hydroxyl radical
formation of the oxidative damage marker 8-hydroxy-2′-deoxyguanosine from the nucleoside 2′-deoxyguanosine: parameter studies and evidence of Fe(II) binding, 100
8-Hydroxy-2′-deoxyguanosine
formation of the oxidative damage marker 8-hydroxy-2′-deoxyguanosine from the nucleoside 2′-deoxyguanosine: parameter studies and evidence of Fe(II) binding, 100
Induced chirality
induced chirality of binary aggregates of oppositely charged water-soluble porphyrins on DNA matrix, 106
Inhibitors
effects of analogues of inorganic phosphate and sodium ion on mineralization of matrix vesicles isolated from growth plate cartilage of normal rapidly growing chickens, 221
Intercalator
synthesis and DNA binding properties of a cationic 2,2′:6′,2″-terpyridine cobalt(II) complex containing an oligopeptide, 272
IR spectrum
characterization of a Cu(II) complex of sulfadimethoxine, 200
Iron accumulation
changes in function of iron-loaded alveolar macrophages after in vivo administration of desferrioxamine and/or chloroquine, 36
Iron binding
formation of the oxidative damage marker 8-hydroxy-2′-deoxyguanosine from the nucleoside 2′-deoxyguanosine: parameter studies and evidence of Fe(II) binding, 100
Iron(II)
DNA binding of iron(II) complexes with 1,10-phenanthroline and 4,7-diphenyl-1,10-phenanthroline: salt effect, ligand substituent effect, base pair specificity and binding strength, 263
Isothermal titration calorimetry
thermodynamic investigation of M-DNA: a novel metal ion–DNA complex, 94
Kanamycin A
in vitro oxidative activity of cupric complexes of kanamycin A in comparison to in vivo bactericidal efficacy, 355
Large unilamellar vesicles
modeling of matrix vesicle biomineralization using large unilamellar vesicles, 14
Lipid composition
modeling of matrix vesicle biomineralization using large unilamellar vesicles, 14
Lipopolysaccharide
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
LpxC
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
Lysine-ligated cytochrome *c*
proton NMR study of chemically modified horse heart ferricytochrome *c* confirms the presence of histidine and lysine-ligated conformers in 30% acetonitrile solution, 381
Manganese porphyrins
efficient biomimetic catalytic epoxidation of polyene polymers by manganese porphyrins, 161
Matrix vesicles
effects of analogues of inorganic phosphate and sodium ion on mineralization of matrix vesicles isolated from growth plate cartilage of normal rapidly growing chickens, 221
Metal complexes
structural analysis and sheep pituitary receptor binding of GnRH and its complexes with metal ions, 28
Metal ion
sugar interaction with metal ion: crystal structure and spectroscopic study of $SrCl_2$·galactitol·$4H_2O$, 43
Metal ions
inhibition of human serum arylesterase by metal chlorides, 1
Metalloporphyrins
enhanced conformational changes in DNA in the presence of mercury(II), cadmium(II) and lead(II) porphyrins, 50
Metal–DNA complex
thermodynamic investigation of M-DNA: a novel metal ion–DNA complex, 94
Methaemoglobin reductase
cadmium and vanadate oligomers effects on methaemoglobin reductase activity from Lusitanian toadfish: in vivo and in vitro studies, 285
Methyl transfer
zinc mediated methyl transfer from trimethyl phosphate to chelating and non-chelating alkyl thiols. Model for Zn-dependent methyltransferases, 193
1-Methyl-4-(methylamino)piperidine
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of [Pt^{II}(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
Mithramycin
association of anticancer drug mithramycin with H1-depleted chromatin: a comparison with native chromatin, 72
Mixed-ligand complex
DNA binding of iron(II) complexes with 1,10-phenanthroline and 4,7-diphenyl-1,10-phenanthroline: salt effect, ligand substituent effect, base pair specificity and binding strength, 263
Models
zinc mediated methyl transfer from trimethyl phosphate to chelating and non-chelating alkyl thiols. Model for Zn-dependent methyltransferases, 193
Modified phenanthroline ligands
DNA interactions of new mixed-ligand complexes of cobalt(III) and nickel(II) that incorporate modified phenanthroline ligands, 138
Molecular biology
organic and inorganic substrates as probes for comparing native bovine lactoperoxidase and recombinant human myeloperoxidase, 146
Mummification salt
borate in mummification salts and bones from Pharaonic Egypt, 214
Mung Bean Nuclease
the binding of zinc(II) to Mung Bean Nuclease. A voltammetric study, 365
Nitric oxide synthase
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
NMR
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
proton NMR study of chemically modified horse heart ferricytochrome *c* confirms the presence of histidine and lysine-ligated conformers in 30% acetonitrile solution, 381
^{1}H NMR
structural analysis and sheep pituitary receptor binding of GnRH and its complexes with metal ions, 28
1H NMR spectroscopy
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
NPY
does either the gastrointestinal peptide PYY or the neuropeptide NPY bind aluminium?, 372

Nucleoside
formation of the oxidative damage marker 8-hydroxy-2′-deoxyguanosine from the nucleoside 2′-deoxyguanosine: parameter studies and evidence of Fe(II) binding, 100
Oligopeptide
synthesis and DNA binding properties of a cationic 2,2′:6′,2″-terpyridine cobalt(II) complex containing an oligopeptide, 272
Olomoucine
mixed ligand complexes of platinum(II) and palladium(II) with cytokinin-derived compounds Bohemine and Olomoucine: X-ray structure of $[Pt(BohH^{+}\text{-}N7)Cl_3]\cdot 9/5H_2O$ {Boh=6-(benzylamino)-2-[(3-(hydroxypropyl)-amino]-9-isopropylpurine, Bohemine}, 307
Optical absorption
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Optical absorption spectroscopy
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
Osmotic
the effects of tungstophosphate and tungstosilicate on various stress promoters transformed in *Escherichia coli*, 155
Palladium(II)
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
mixed ligand complexes of platinum(II) and palladium(II) with cytokinin-derived compounds Bohemine and Olomoucine: X-ray structure of $[Pt(BohH^{+}\text{-}N7)Cl_3]\cdot 9/5H_2O$ {Boh=6-(benzylamino)-2-[(3-(hydroxypropyl)-amino]-9-isopropylpurine, Bohemine}, 307
Paraoxonase
inhibition of human serum arylesterase by metal chlorides, 1
Peptides
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
Peroxidase purification
purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L., 243
Peroxidases
organic and inorganic substrates as probes for comparing native bovine lactoperoxidase and recombinant human myeloperoxidase, 146
pH dependence
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
pH effects
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127
1,10-Phenanthroline
DNA binding of iron(II) complexes with 1,10-phenanthroline and 4,7-diphenyl-1,10-phenanthroline: salt effect, ligand substituent effect, base pair specificity and binding strength, 263
Phosphate transport
effects of analogues of inorganic phosphate and sodium ion on mineralization of matrix vesicles isolated from growth plate cartilage of normal rapidly growing chickens, 221
Photocleavage
photooxidation of DNA by a cobalt(II) tridentate complex, 121
Plasma
binding of bismuth to serum proteins: implication for targets of Bi(III) in blood plasma, 114
Platinum
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of [Pt^{II}(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
Platinum complexes
cholic acid–carboplatin compounds (CarboChAPt) as models for specific drug delivery: synthesis of novel carboplatin analogous derivatives and comparison of the cytotoxic properties with corresponding cisplatin compounds, 335
Platinum(II)
mixed ligand complexes of platinum(II) and palladium(II) with cytokinin-derived compounds Bohemine and Olomoucine: X-ray structure of $[Pt(BohH^{+}\text{-}N7)Cl_3]\cdot 9/5H_2O$ {Boh=6-(benzylamino)-2-[(3-(hydroxypropyl)-amino]-9-isopropylpurine, Bohemine}, 307
Polyene polymers
efficient biomimetic catalytic epoxidation of polyene polymers by manganese porphyrins, 161
Polyoxometalates
synthesis and antitumor activity of cyclopentadienyltitanium substituted polyoxotungstate $[CoW_{11}O_{39}(CpTi)]^{7-}$ (Cp=η^5-C_5H_5), 279
Polyoxotungstate
synthesis and antitumor activity of cyclopentadienyltitanium substituted polyoxotungstate $[CoW_{11}O_{39}(CpTi)]^{7-}$ (Cp=η^5-C_5H_5), 279
Porphyrin
induced chirality of binary aggregates of oppositely charged water-soluble porphyrins on DNA matrix, 106
Potentiometry
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
Protein folding
proton NMR study of chemically modified horse heart ferricytochrome *c* confirms the presence of histidine and lysine-ligated conformers in 30% acetonitrile solution, 381
Protein structure
organic and inorganic substrates as probes for comparing native bovine lactoperoxidase and recombinant human myeloperoxidase, 146
Pt(II) complex cytotoxic activity
synthesis, characterization and in vitro cytotoxic, mutagenic and antimicrobial activity of platinum(II) complexes with substituted benzimidazole ligands, 255
Pt(II) complex mutagenic activity
synthesis, characterization and in vitro cytotoxic, mutagenic and antimicrobial activity of platinum(II) complexes with substituted benzimidazole ligands, 255
Pt(II) complexes
synthesis, characterization and in vitro cytotoxic, mutagenic and antimicrobial activity of platinum(II) complexes with substituted benzimidazole ligands, 255
PYY
does either the gastrointestinal peptide PYY or the neuropeptide NPY bind aluminium?, 372
Rat
tissue and subcellular distribution of chromium picolinate with time after entering the bloodstream, 86
Reporter gene assay
the effects of tungstophosphate and tungstosilicate on various stress promoters transformed in *Escherichia coli*, 155
Resonance light scattering
induced chirality of binary aggregates of oppositely charged water-soluble porphyrins on DNA matrix, 106
Salt effects
spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-*N*-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt, 127

Schiff bases
synthesis and spectroscopic studies on the new Schiff base derived from the 1:2 condensation of 2,6-diformyl-4-methylphenol with 5-aminouracil (BDF5AU) and its transition metal complexes, 326
Scorpionate ligands
the Cu(II) acetate complex of the heteroscorpionate ligand (2-hydroxy-3-t-butyl-methylphenyl)bis(3,5-dimethylpyrazolyl)methane: a structural model for copper-substituted serralysin and astacin, 197
synthesis and characterization of new copper(I) complexes containing 4-(diphenylphosphane)benzoic acid and "scorpionate" ligands with "in vitro" superoxide scavenging activity, 348
Seed coat soybean peroxidase
activity, stability and conformational flexibility of seed coat soybean peroxidase, 236
Selenium
effects of long-term selenium deficiency on glutathione peroxidase and thioredoxin reductase activities and expressions in rat aorta, 301
Serralysin
the Cu(II) acetate complex of the heteroscorpionate ligand (2-hydroxy-3-t-butyl-methylphenyl)bis(3,5-dimethylpyrazolyl)methane: a structural model for copper-substituted serralysin and astacin, 197
Sheep pituitary receptor binding
structural analysis and sheep pituitary receptor binding of GnRH and its complexes with metal ions, 28
Signal
the effects of tungstophosphate and tungstosilicate on various stress promoters transformed in *Escherichia coli*, 155
Site-directed mutagenesis
CO binding to the isolated oxygenase domain of neuronal nitric oxide synthase: effects of inhibitors and mutations at the substrate-binding site, 343
Sodium dependence
effects of analogues of inorganic phosphate and sodium ion on mineralization of matrix vesicles isolated from growth plate cartilage of normal rapidly growing chickens, 221
Speciation
interaction of Al(III) with the peptides AspAsp and AspAspAsp, 207
Spectroscopic study
sugar interaction with metal ion: crystal structure and spectroscopic study of $SrCl_2$·galactitol·$4H_2O$, 43
Spectroscopy
purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L., 243
Stability constants
complexes of vanadium(III) with L-alanine and L-aspartic acid, 317
Steady-state kinetics
purification and characterization of a new cationic peroxidase from fresh flowers of *Cynara scolymus* L., 243
Stopped-flow
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
Subcellular distribution
tissue and subcellular distribution of chromium picolinate with time after entering the bloodstream, 86
Sulfadimethoxine
characterization of a Cu(II) complex of sulfadimethoxine, 200
Superoxide anion
synthesis and characterization of new copper(I) complexes containing 4-(diphenylphosphane)benzoic acid and "scorpionate" ligands with "in vitro" superoxide scavenging activity, 348
Synthesis
preparation, characterization, and antitumor activity of new cisplatin analogues with 1-methyl-4-(methylamino)piperidine: Crystal structure of [Pt^{II}(1-methyl-4-(methylamino) piperidine)(oxalate)], 179
Synthesis and spectroscopy
DNA interactions of new mixed-ligand complexes of cobalt(III) and nickel(II) that incorporate modified phenanthroline ligands, 138
Synthetic matrix vesicles
modeling of matrix vesicle biomineralization using large unilamellar vesicles, 14
Thioether donors
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
Thioredoxin reductase
effects of long-term selenium deficiency on glutathione peroxidase and thioredoxin reductase activities and expressions in rat aorta, 301
Toxicity
binding of bismuth to serum proteins: implication for targets of Bi(III) in blood plasma, 114
Transcription inhibitor
association of anticancer drug mithramycin with H1-depleted chromatin: a comparison with native chromatin, 72
Transferrin
binding of bismuth to serum proteins: implication for targets of Bi(III) in blood plasma, 114
Tutankhamen
borate in mummification salts and bones from Pharaonic Egypt, 214
Tyrosine fluorescence
does either the gastrointestinal peptide PYY or the neuropeptide NPY bind aluminium?, 372
Undecatungstophosphate
the effects of tungstophosphate and tungstosilicate on various stress promoters transformed in *Escherichia coli*, 155
Undecatungstosilicate
the effects of tungstophosphate and tungstosilicate on various stress promoters transformed in *Escherichia coli*, 155
Vanadate
cadmium and vanadate oligomers effects on methaemoglobin reductase activity from Lusitanian toadfish: in vivo and in vitro studies, 285
Vanadium(III)
complexes of vanadium(III) with L-alanine and L-aspartic acid, 317
X-ray absorption
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
X-ray diffraction
thermodynamic, kinetic and structural studies on the mixed ligand complexes of palladium(II) with tridentate and monodentate ligands, 291
Zinc
EXAFS studies of the zinc sites of UDP-(3-*O*-acyl)-*N*-acetylglucosamine deacetylase (LpxC), 78
the binding of zinc(II) to Mung Bean Nuclease. A voltammetric study, 365
Zinc enzymes
zinc mediated methyl transfer from trimethyl phosphate to chelating and non-chelating alkyl thiols. Model for Zn-dependent methyltransferases, 193
Zn metalloenzymes
the Cu(II) acetate complex of the heteroscorpionate ligand (2-hydroxy-3-t-butyl-methylphenyl)bis(3,5-dimethylpyrazolyl)methane: a structural model for copper-substituted serralysin and astacin, 197